

INDEX MAPS.

T. 13 N. R. 12 E. 2nd Mer.

	80		79		79		78		78		78	
83	6	107	5	106	4	106	3	105	2	108	1	77
109	107	104	107	104	106	105	106	105	105	108	109	
82	7	104	8	103	9	102	10	101	11	93	12	77
109	103	100	103	101	103	101	103	94	97	93	92	
82	18	100	17	99	16	97	15	96	14	92	13	76
109	98	99	100	96	98	96	97	91	93	92	93	
81	19	98	20	95	21	95	22	91	23	90	24	76
	94	94	95	89	91	90	91	90	91	90	90	
81	30	93	29	88	28	87	27	85	26	85	25	76
	89	89	93	87	88	86	86	84	85	84	84	
81	31	88	32	87	33	86	34	84	35	83	36	75
	73	75	73	75	73	74	73	74	73	74	74	

T. 14 N. R. 12 E. 2nd Mer.

	119		118		118		117		117		116	
121	6	138	5	137	4	135	3	133	2	131	1	116
	140	138	136	136	134	134	133	133	132	131	131	
121	7	137	8	136	9	134	10	132	11	131	12	116
	139	137	136	135	134	134	133	132	132	130	130	
120	18	137	17	135	16	133	15	132	14	130	13	115
	139	141	136	128	128	127	127	125	125	123	123	
120	19	140	20	128	21	126	22	125	23	123	24	115
	138	138	13	140	128	126	126	124	124	122	122	
119	30	130	29	128	28	126	27	124	26	122	25	115
R. 141	C. 138	129	129	127	127	125	125	124	124	122	122	
119	31	129	32	127	33	125	34	123	35	122	36	114
	114	113	113	113	112	112	112	112	112	112	112	

The figures on the lines refer to the page.

Township 14 North, Range 12 East 2nd Mer. 3rd

Ch. 1st South Boundary

West On S. side of Sec. 36.

10.00 a Brook 30 lks. wide C. S.

21.50 a Walnut 30 in. diam.

40.00 Set q. sec. post, from which
a Buckeye 10 in. dia. bears N 79 E. 10 lks. dist.
an Elm 20 " " " N 71 W. 16 " "

65.00 To River 300 lks. wide course S.

80.00 Set post cor. to sec. 35 & 36 from which
an Ash 15 in. dia. bears S 15 E. 16 lks. dist. &
a Buckeye 10 in. " " N 15 W. 15 " "
Land, first rate. Timber, Sugar,
Elm, Ash, Buckeye &c.

West On S. side of sec. 35.

40.00 Set q. sec. post, from which
a Beech 24 in. dia. bears S 23 W. 19 lks. dist. &
a Beech 16 " " " N 5 E. 26 " "

Land and &c. as described on last mile.

74.00 a Brook 3 lks. wide course S.

80.00 Set post cor. to Sec. 34 & 35, from which
a Beech 10 in. dia. bears S 67 E. 7 lks. dist. and
a Do. 8 " " " N 85 W. 15 " "
First rate Beech land.

West On S. side of sec. 34.

4.00 a Creek 75 lks. wide course S.

13.00 Crossed one fork of the creek at the
mouth

25.00 Encamped. Oct. 17th 1820.

31.00 a Creek 60 lks. wide course S.E. & kept
up Creek in it.

39.00 Left Creek to the right.

40.00 Set q. sec. post, from which
a Sugar 14 in. dia. bears S 2 E. 16 lks. dist. &

113. T. 14. N. R. 12 E. 2nd Mer. Ind^a

ch^o 4k^o a Sugar 18 in. dia. bears N 20 W, 37 lbs dist.
 68.00 a Brook 5 k^o wide Course N.
 68.50 a Sugar 14 in. diam.
 80.00 Set post. loc. to Sec^s 33 & 34 from which
 a Beech 10 in. dia. bears N 56 E, 10 lbs dist. and
 a Sugar 24 in. " " N 47 W, 22 " "
 Good Beech land.

West on E. Side of Sec. 33.

2.00 a Brook 3 k^o wide Course N.
 10.00 a Do 3 " " " N.
 28.00 a Do. 3 " " " N.E.
 40.00 Set q. sec. post. from which
 a Beech 12 in. dia. bears N 31 E, 15 lbs dist.
 a Beech 10 " " in Gr. tree.
 48.00 a Brook 5 k^o wide Course N.
 52.00 a Do. 3 " " " S.E.
 77.50 a Do. 3 " " " N.
 80.00 Set post loc. to Sec^s 33 & 32, from which
 a Cherry 6 in. dia. bears N 81 W, 14 lbs dist. X
 a Sugar 10 " " " S 87 E, 22 " "
 Land, Rich & level Beech, Sugar
 Ash &c.

West on E. side of Sec. 32.

16.00 a Spring Course N.
 28.00 a Brook 5 k^o wide c. N.
 40.00 Set q. sec. post. from which
 a Sugar 28 in dia. bears N 76 E, 12 lbs dist. X
 a Beech 12 " " " S 12 E, 33 " "
 50.68 a Do. 18 " "
 76.00 a Brook 5 k^o wide C. D.
 77.50 a Brook 20 k^o " " C. D.
 80.00 Set post loc. to Sec^s 5 & 6 in T. 13 and
 Sec^s 31 & 32 in T. 14 from which
 a Sugar 14 in. dia. bears N 56 E, 8 lbs dist. X

T. 14 N. Sec. 12 E. 2nd Mer. Ind. Co.
Ch. 40.

a Beech 12 in. dia. bears N 12 E. 21 lks. dist.
Good land. Timber: Beech, Oak, Poplar.

Met On S. side of Sec. 31.

24.50 a Walnut 30 in. diam.

40.00 Set temp. q. sec. post. and took
Bearings (Viz)

a Beech 6 in. dia. bears S 70 W. 8 lks. dist. &

a Sugar 16 in. dia. " N 43 E. 19 " "

43.60 Intersect Boundary. where we left it
corner to Towns 13 & 14 N. 16.12 E. f. wh.
an Elm 12 in. dia. bears S 27 E. 19 lks. dist. &

a Sugar 10 " " " N 53 E. 17 " "
Surveyed in 1819. A. Holmes Dep. sur.

60.00 a Branch 6 lks. wide course S. E.

69.00 a Do. 6 " " " N. E.

84.10 Intersect N. line between Ranges 11 & 12
East & set post cor. of Towns 13 & 14 f. wh.
a Beech 12 in. dia. bears S 44 W. 28 lks. dist. &
a Do. 12 " " " S 89 E. 34 " "

Good farming land. Timber, —
Beech, Sugar Ash, Elm Oak,
Walnut &c. Undergrowth Spice
and paw paw. Sub 12th 1819.
Surveyed by John M. Donald
Deputy Surveyor.

East Boundary.

North On E. side of Sec. 36.

11.00 a Brook 30 lks wide course S. W.
Rich land. Timber: Sugar Ash &c.

40.00 Set post cor. to q. sec. from which
a Sugar 14 in. dia. bears S 21 W. 18 lks. dist.
a Cherry 5 " " " N 6 S E. 15 " "

64.15 a Walnut 30 in. diam.

80.00 Set post to Sec. 25 & 36, from which
a Sugar 14 in. dia. bears N 80 E. 8 lks. dist. &

115. S. 14 N. R. 12 E. 2nd Mer. Ind^a

a Beech 20 in. dia. bears S 43 W. 22 lks. dist.
Level Rich Land. Sugar, Ash &c.

North On E. Side of Sec. 25.

21.00 a Sugar 16 in. diam.

40.00 Set gr. Sec. post, from which
an Elm 6 in. dia. bears S 19 W. 11 lks. dist. and
a Sugar 12 " " " N 13 E. 9 " "
Land, Rich. Timb. Sugar Elm &c.

60.00 To River course S. W. Old Indian
Cornfield.

80.00 Thorn 4 in. diam. for post Cor. to Sec. ²⁴ 24 & 25.
an Ash 30 in. dia. bears S 40 E. 27 lks. dist. &
an Ash 10 " " " West 25 " "

North On E. Side of Sec. 24.

29.75 a Wh. Oak 12 in. diam.

40.00 Set gr. Sec. post, from which
an Elm 15 in. dia. bears S 39 E. 24 lks. dist. &
a Thornbush 4 in. dia. " N 42 W. 10 " "

80.00 Set post Cor. to Sec. 13 & 24, fr. which
a Sugar 16 in. dia. bears N 33 E. 29 lks. dist. &
an Elm 8 " " " S 47 W. 21 " "
Land, good Timb. Sugar, Elm
Oak &c.

North On E. Side of Sec. 13.

40.00 set gr. Sec. post, from which
a Wh. Oak 16 in. dia. bears S 40 W. 23 lks. dist. &
an Ash 16 " " " N 34 W. 19 " "
Land, level & Rich. Oak, Hickory
and Walnut.

45.00 a Sugar 16 in. dia. bears

80.00 Set post Cor. to Sec. 12 & 13, from which
an Elm 8 in. dia. bears S 27 W. 3 lks. dist. &
a Wh. Oak 16 in. dia. " N 28 W. 15 " "

S. 14 N. N. 12 E. 2nd Mer. Ind. a.
Ch. 1/2 Ch.

Level Brushy land. Timb. Sugar
Elm Oak and Ash.

North On E. Side of Sec. 12.

- 19.50 a Walnut 24 in. diam.
40.00 Set q. Sec. post, from which
a Sugar 12 in. dia. bears N 39 W. 10 lbs. dist.
a Sugar 16 " " " S 55 E. 25 lbs. dist.)
62.00 an Elm 24 in. diam.
72.50 a Brook 20 lbs. wide Course E.
80.00 Set post cor. to Secs. 1 & 12. from wh
a Spruce 18 in. diam. bears N 9 W. 12 lbs. dist.)
an Ash 18 in. dia. bears S 28 E 24 " "
Land, first rate Bottom. Timb. Sugar
Ash & Elm.

North On E. Side of Sec. 1.

- 40.00 Set q. Sec. post, from which
an Elm 18 in. dia. bears S 81 E. 12 lbs. dist.)
a Sugar 8 " " " N 53 W. 12 " "
53.80 a Walnut 30 in. diam.
75.00 a Brook 4 lbs. wide C. S. E.
79.50 or Do. 4 " " Course S. W.
80.00 Set post cor. to Towns 14 & 15, Range
12 & 13 E. from which
a Sugar 14 in. dia. bears N 58 W. 26 lbs. dist.)
an Elm 24 in. dia. bears S 15 E. 27 " "
Land, Rich Soil. Timb. Sugar
Walnut Elm and Ash.
Surveyed in 1810.

O'By.

A Holmes
Deputy Surveyor.

North Boundary.

- West On S. Side of Sec. 36. S. 15 N. N 12 E. 2nd Mer.
34.00 a Sugar 30 in. diam.

117. T. 14 N. R. 12 E. 2nd Mer Ind.

40.00 Set q. sec. post, from which
an Ash 40 in. dia. bears South, 5 lb. dist.
a Buckeye 16 in. " " North 6 " "

57.00 an Ash 36 in. diam.
First rate land. Timber Beech
Ash, Sugar &c.

80.00 Set post loc. to Secs. 35 & 36, from wh.
a Sugar 18 in. dia. bears N 41 W, 16 lb. dist. &
a Beech 15 " " " S 30 E, 33 " "
Land rich. Timber Beech, Ash, Sugar.

West On S. side of Sec. 35. T. 15 N. R. 12 E.
39.00 a Spring Course N. E.

40.00 Set q. sec. post, from which
a Beech 30 in. dia. bears N 40 W, 17 lb. dist. &
a Do. 18 " " " S 70 E, 29 " "

56.75 a Poplar 50 in. diam.

80.00 Set post loc. to Secs. 34 & 35, from wh.
a Beech 9 in. dia. bears N 30 E, 12 lb. dist. &
a Sugar 12 " " " S 59 W, 26 " "
Good land & level. Timber, Sugar
Beech, Poplar.

West On S. side of Sec. 34. T. 15 N. R. 12 E.
13.00 a Brook 3 lb. wide course S. W.

24.00 an Ash 24 in. diam.

25.00 a Brook 5 lb. wide course S.

31.50 a Brook 30 " " " S. E.

40.00 Set q. sec. post, from which
a Beech 24 in. dia. bears East 6 lb. dist. &
a Sugar 8 " " " N 81 W, 14 " "

68.50 a Beech 18 " "

80.00 Set post loc. to Secs. 33 & 34, from which
a Sugar 14 in. dia. bears S 59 W, 30 lb. dist. &
a Beech 16 " " " N 45 E, 22 " "
Land first rate & well timbered & level.

T. 14 N. R. 12 E. 2nd Mer. Ind^a

West On S. side of sec. 33. T. 15 N. R. 12 E.
 15.68 an Ash 24 in. diam.
 32.00 a Brook 2 lks. wide course S.E.
 37.00 a Do. 2 " " " S.W.
 40.00 Set q. sec. post, from which
 an Elm 9 in. dia. bear S 42 E 3 lks. dist. &
 a Poplar 12 " " " N 81 W 43 " "
 42.00 a Brook 6 lks. wide course S.E.
 60.00 a Do. 6 " " " S.E.
 64.00 a Do. 6 " " " S.E.
 80.00 Set post cor. to sec. 32 & 33, fr. which
 a Sugar 14 in. dia. bear S 45 E. 10 lks. dist. &
 a Do. 20 " " " N 74 W. 20 " "
 Good land. Limb. Sugar Beech
 and Ash.

West On S. side of sec. 32. T. 15 N. R. 12 E.
 16.00 an Elm 16 in. dia.
 30.00 a Brook 3 lks. wide c. N.
 40.00 Set q. sec. post, from which
 an Ash 18 in. dia. bear S 41 E. 21 lks. dist. &
 a Hickory 16 in. dia. " N 39 W. 42 " "
 Rich level land. Limb. Sugar & Beech
 12.00 further west and continued boundary
 3.00 further north to intersection, making
 boundary line 6 miles and 8 lks. and
 Town. Line 4 miles & 52 lks. at intersection
 and set post, from which
 a Sugar 12 in. dia. bear N 53 W. 14 lks. dist. &
 a Wh. Oak 30 in. " " S 26 E. 14 " "
 Surveyed in 1810. By A. Holmes
 Dep. Sur.

West On S. side of sec. 32. W. of the Boundary.
 28.00 Set post cor. to Secs. 31 & 32, from which
 an Elm 14 in. dia. bear N 63 E. 7 lks. dist. &
 a Beech 14 " " " S 60 W. 49 " "

119. T. 14 N. R. 12 E. 2nd Mer. Ind^a.

West On E. side of Sec. 31. T. 15 N. R. 12 E.
 27.59 a Beech 20 in. diam.
 38.74 a creek 20 ft. wide course South.
 40.00 Set q. sec. post, from which
 a Beech 14 in. dia. bear S 65 E. 5 ft. dist. &
 a Do. 20 " " " N 18 W. 12 " "
 46.74 a Brook 4 ft. wide S. E.
 51.64 a Beech 18 in. diam.
 86.90 Intersect N & S. line Between Ranges 11 &
 12 E. at the corner.
 Over Rich level land. Timb. Beech,
 Sugar, Poplar, &c. mod. growth spire.
 Surveyed in 1819

John Mc. Donald,
 Deputy Surveyor.

West Boundary.

North On E. side of Sec. 36. T. 14 N. R. 11 E.
 10.00 a Branch 2 ft. wide C. E.
 10.64 a Beech 20 in. diam.
 26.10 a Branch 2 ft. wide C. E.
 40.00 Set q. sec. post, from which
 a Sugar 10 in. dia. bear N 8 E. 32 ft. dist. &
 a Do. 8 " " " N 40 W. 30 " "
 48.25 a Brook 3 ft. wide C. E.
 58.00 a creek 20 " " course S. E.
 69.60 a Beech 20 in. diam.
 80.00 Set post cor. to Sec. 25 & 36, from wh.
 an Oak 18 in. dia. bear S 24 W. 40 ft. dist. &
 a Sugar 12 " " " N 63 E. 27 " "
 Over good farming land. Timb.
 Beech, Sugar &c.

North On E. side of Sec. 25. T. 14 N. R. 11 E.
 11.30 a Poplar 30 in. diam.
 40.00 Set q. sec. post, from which

T. 14 N. Sec. 12 E. 2nd Mer. Ind. Co.

Ch. 4th a Beech 20 in. dia. bears S 20° 27' W. 27 lbs. dist. &
 an Ash 30 " " " West 19 " "
 55.00 a Brook 4 lbs. wide Course S. E.
 64.24 a Do. 3 " " " S. E.
 70.11 a W. Oak 24 in. diam.
 80.00 Set post cor. to sec. 25 & 24, fr. wh.
 a Beech 18 in. dia. bears N 8 E. 48 lbs. dist.
 a Sugar 8 in. diam. " S 7 W. 10 lbs. dist.
 Over good farming land. Timber:
 Beech Sugar Poplar & undergrowth
 Spice.

North An. E. side of Sec. 24. T. 14 N. R. 11 E.

23.11 a Beech 22 in. diam.
 40.00 Set gr. sec. post, from which
 an Elm 10 in. dia. bears S 20 E. 18 lbs. dist.
 a Hornbeam 7 in. dia. " N 23 E. 10 " "
 45.10 a Brook 14 lbs. wide Course E.
 63.50 a Brook 10 " " " E.
 64.64 a Sugar 20 in. diam.
 80.00 Set post cor. of sec. 13 & 24, fr. wh.
 a Sugar 12 in. dia. bears N 51 W. 13 lbs. dist.
 a Beech 14 " " " S 67 E. 17 " "
 Over rolling land good soil. Timber:
 as before.

North An. E. side of Sec. 13. T. 14 N. R. 11 E.

9.00 a Brook 10 lbs. wide Course E.
 10.74 a Walnut 20 in. diam.
 17.50 a Creek 50 lbs. wide Course S. E.
 40.00 Set gr. sec. post, from which
 a Beech 14 in. dia. bears S 70 E. 23 lbs. dist. &
 a Do. 14 " " " S 82 W. 3 " "
 49.90 a Creek 50 lbs. wide Course S. W.
 65.00 Same " " " " S. E.
 66.24 a Beech 14 in. diam.

121.

T. 14 N. R. 12 E. 2nd Mer. Ind^a

80.00 Set post loc. to Sec. 12 & 13 from which
 a Beech 22 in. dia. bears S 23 W. 5th? dist. &
 a Do. 15 " " " N 54 E. 16 " "
 Over such land as before.

North On E. side of Sec. 12. T. 14 N. R. 12 E.

5.00 a Creek 40 ft. wide Course S. W.

25.70 a Beech 10 in. diam.

27.24 a Brook 10 ft. wide Course E.

40.00 Set gr. sec. post. from which
 an Elm 30 in. dia. bears S 15 W. 24 ft. dist.
 & a Sugar 12 " " " N 20 E. 22 " "

57.92 a Sugar 14 in. diam.

64.50 a Brook 4 ft. wide Course E.

80.00 Set post. for loc. of Sec. 1 & 12, fr. wh.
 a Hickory 10 in. dia. bears S 25 W. 41 ft. dist.
 a Sugar 11 " " " N 5 E. 21 " "
 Over good farming land. Beech, -
 Sugar Poplar &c.

North On E. side of Sec. 1. T. 14 N. R. 12 E.

17.04 a Sugar 14 in. diam.

40.00 Set gr. sec. post. from which
 a Sugar 9 in. dia. bears S 20 W. 32 ft. dist. &
 a Do. 9 " " " N 40 E. 39 " "

80.24 Set post Cor. of Ranges 11 & 12 E. T. 14 & 15 N.
 from which
 an Ash 24 in. dia. bears N 76 W. 20 ft. dist. &
 a Beech 18 " " " S 66 E. 23 " "
 Over rich land. Timber Beech, Sugar
 Poplar &c. Undergrowth, Spice.
 Surveyed in 1819.

By John Mc. Donald.

Deputy Surveyor.

Chs. Lks.	Subdivisions	Var. - - - - -
North	Between Secs. 35 & 36.	
40.00	Set gp. Sec. post. from which a Plum 4 in. dia. bears S 4 Lks.	
	a Buckeye 15 " " " N. 4 "	
60.00	a Beautiful Spring of water East	
79.25	a Stream 12 Lks. wide ev. S. E.	
80.00	Set post cor. of Secs. 25, 26 35 & 36 fr. wh. an Elm 12 in. dia. - bears S 34 N. 8 Lks.	
	a Sugar 6 " " " E. 8 Lks	
	January 16 th 18 th 11.	

East	On Random bet. Secs. 25 & 36.
40.00	Set Temp. gp. Sec. post. on the Bank of the East fork. 2 chs. R. South
80.00	To C. & S line at the State Leul. Rich Bottom Land

West	Corner line bet. Secs. 25 & 36.
40.00	for gp. Sec. post a Sycamore 15 in. dia when the River Runs South
80.00	Section Corner.

North	Between Secs. 25 & 26.
40.00	Set gp. Sec. post, from which a Beech 10 in. dia bears S 16 E. 13 Lks.
	a Hickory 15 " " " N 16 W. 17 "
79.50	a Sycamore 60 in. dia.
80.00	Set post cor. to Secs. 23, 24, 25 & 26. fr. wh. a Sycamore 60 in. dia. bears South 50 Lks.
	a Beech 3 " " " West 266 "

East	In Random bet. Secs. 24 & 25.
40.00	Set Temp. gp. Sec. post Leul. Rich, Land. Timber Sugar, Oak, Walnut.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

51.00 a Pond of water 3 chs. wide
 80.00 To N. & S. line 20 lbs N. of corner
 Land, Rich Bottom Timber ash Sugar &c

West Between Secs. 24 & 25 correct line
 40.00 Set gr. Sec. post, from which
 a Sugar 10 in. dia. bears N 47 E, 8 lbs. Dist.
 a Hickory 24 " " " S 63 E, 9 " "
 80.00 Section Corner.

North Between Secs. 23 & 24.
 33.00 a W. Oak 4 in. dia.
 40.00 Set gr. Sec. post, from which
 a Poplar 30 in. dia. bears N 14 W, 24 lbs.
 a Beech 26 " " " S 14 E, 24 "
 80.00 Set post Cor. to Secs. 13, 14, 23 & 24 fr. wh.
 a Beech 20 in. dia. bears N 15 E, 20 lbs.
 a Sugar 15 " " " S 57 W, 13 "
 Level Oak & Beech Land

East On Random bet. Secs. 13 & 24.
 40.00 Set Temp. gr. Sec. post.
 80.00 Intersected N & S line at Cor.
 Very brushy poor land

West Correct line bet. Secs. 13 & 24.
 40.00 Set gr. Sec. post, from which
 a Beech 10 in. dia. bears N 19° 30' W, 12 lbs.
 an Ironwood 6 " " " S 23° 30' E, 7 "
 80.00 Section Corner January 16th 1811.

North Between Secs. 24 & 25
 21.00 a Beech 12 in. dia
 40.00 Set gr. Sec. post, from which
 a Beech 9 in. dia. bears S 13 E, 8 lbs. Dist.
 a Do 30 " " " N 76 E, 20 " "

T. 14 N. R. 12 E. 2nd Mer. Indiana.

124.

80.00 Set post cor. Secs. 26. 27. 34. & 35 from wh.
a Beech 4 in. dia. bears S 81 W, 39 lks.
a Do 30 " " " N 34 E, 25 "
Land level, Rich. Timber ash, Beech, &c

East On Random bet. Secs. 26 & 35-

40.00 Set Temp. gr. Sec. post

79.50 Intersected N & S line at post
Land, level. Timber Beech, poplar, ash, &c.

West Correct line bet Secs. 26 & 35-

39.75 Set gr. Sec. post, from which
a Beech 15 in. dia. bears. S 21 E, 11 lks. Set
a Do 12 " " " N 27 W, 26 " "

57.00 a Beech 10 in. dia.

79.50 Section corner.

North Between Secs. 26 & 27.

38.50 a Hickory 16 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 12 in. dia bears South 3 lks.
a Do 6 " " " West 24 "

Land, level Timber Beech & poplar.

80.00 Set post cor. Secs. 22. 23 26 & 27 fr. wh.
a poplar 60 in. dia. bears N 75 E, 19 lks. Set.
a Beech 4 " " " S 61 W, 14 " "

East On Random bet. Secs. 23 & 26.

40.00 Set Temp. gr. Sec. post.

79.90 Intersected N & S line 20 lks N. of post
Level, Beech Land Tim. poplar Beech &c

West Correct line bet. Secs. 23 & 26.

39.95 Set gr. Sec. post, from which
a Beech 15 in. dia. ~~stands~~ for corner

46.20 a Beech 20 in dia "

T. 14 N. R. 12 E. 2nd Men. Indiana

79.90 Section Corner

North Between Secs. 22 & 23.

40.00 Set gr. Sec. post, from which
a Gum 24 in. dia. bears S 60 E, 10 lbs. Set.
a Beech 16 " " " S 51 W, 13 " "

80.00 Set post Cor. Secs. 14, 15, 22 & 23 fr wh
a Poplar 65 in. dia. bears N 75 E, 19 lbs.
a Beech 5 " " " S 61 W, 14 "
Land, level Beech, & Poplar

East On Random bet. Secs. 14 & 23.

17.00 a Pond or. Lake 23 Chs. wide

40.00 Set Temp. gr. Sec. post

80.00 To N. & S line at Corner.

Level, Rich Land Timber Beech, Poplar &c

West Correct line bet. Secs. 14 & 23.

40.00 an Elm 10 in. dia. for gr. Sec. post. in
the edge of the Pond

80.00 Section Corner January 17th 1811

North Between Secs. 33 & 34.

24.50 a Stream 20 lbs. wide crs. East

40.00 Set gr. Sec. post, from which
a W. Oak 8 in. dia. bears S 38 E, 10 lbs. Set.
a Sugar 12 " " " S 58 W, 20 " "

55.50 a Stream 50 lbs. wide crs. East

80.00 Set post Cor. Secs. 27, 28, 33 & 34 fr. wh.
a Beech 12 in. dia. bears S 51 W, 9 lbs.
a Do 14 " " " N 37 E, 27 "
Broken Beech & Poplar land.

East On Random bet Secs. 27 & 34.

40.00 Set Temp. gr. Sec. post

60.00 a Stream 50 lbs. wide crs. S.E.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

126.

79.50 Intersected N. & S line at Cor.
Broken Beech Land

West corner line bet Secs. 27 & 28.

39.75 Moved Temp. post to average dist. fr. wh.
a Beech 7 in. dia. bears S 86 W. 9 lbs
a Do 7 " " " N 33 E. 20 "

69.00 a Do 10 in. dia.

79.50 Section corner.

North Between Secs. 27 & 28

40.00 a Cherry 6 in. dia. for Cor. in a Bad
falling Timber viz. a tornado some
years ago.

80.00 Set post Cor. of Secs. 21, 22, 27 & 28 fr. wh.
an ash 10 in. dia. bears S 28 W. 28 lbs
a Beech 12 " " " N 81 E. 22 "
Broken Land

East An Random bet Secs. 22 & 27.

40.00 Set Temp. gr. Sec. post.

54.50 a Stream 20 lbs. wide cor. South.

79.90 Intersected N. & S line 10 lbs N. of corner
Broken Beech, & Poplar Land

West corner line bet. Secs. 22 & 27

39.95 Set gr. Sec. post, from which
a Sugar 24 in. dia bears N 24 W. 9 lbs
a Beech 5 " " " S 21 E. 5 "

79.90 Section corner.

North Between Secs. 21 & 22.

40.00 Set gr. Sec. post, from which
a Walnut 4 8 in. dia. bears S 58 W. 35 lbs
a Hackberry 12 " " " S 75 E. 24 "
60.00 a Stream 20 lbs wide cor. S.E.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

62.30 a Beech 10 in. dia.
 80.00 Set post Cor. Secs. 16, 16, 21 & 22 fr. wh.
 a Beech — in. dia. bears West 22 lbs.
 a Do 10 " " " S 20 E. 23 "

East On Random bet. Secs. 16 & 22.
 40.00 Set Temp. gr. Sec. post
 80.00 Intersected N & S line at post
 Beech & Poplar Land Broken as above

West Correct line bet. Secs. 15 & 22.
 20.30 a Beech 12 in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 10 in. dia. bears N 39 E, 18 lbs.
 a Do. 6 " " " N 78 W, 23 "
 80.00 Section Corner. Jan. 18th 1811.

North Between Secs. 32 & 33.
 .50 a Poplar 18 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar 15 in. dia. bears N 59 E, 14 lbs.
 a Beech 8 " " " S 59 W, 18 "
 59.50 a Stream 50 lbs. wide crs. S. E.
 80.00 Set post Cor. Secs. 28, 29 32 & 33, fr. which
 a Beech 6 in. dia. bears S 78 W, 18 lbs.
 a Do. 15 " " " N 6 E 15 "
 Broken Land.

East On Random bet. Secs. 28 & 33.
 40.00 Set Temp. gr. Sec. post.
 79.00 Intersected N. & S line at Cor.
 Broken Beech & Poplar Land

West Correct line bet. Secs. 28 & 33.
 39.75 Set gr. Sec. post, from which
 a Beech 15 in. dia. bears N 20 W, 23 lbs.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

ch. Sk. a Sugar 6 in. dia. bears S 24 E. 12 lks.
 52.20 a Beech 20 in. dia.
 79.50 Section Corner.

North Between Secs. 28 & 29.

40.00 Set gr. Sec. post, from which
 a Beech 24 in. dia. bears N 56 W. 36 lks.
 a Do 12 " " " S 56 E. 21 "
 80.00 Set post Cor. of Secs. 20, 21, 28 & 29 fr. wh.
 a Beech 18 in. dia. bears S 56 W. 20 lks.
 a Sugar 6 " " " N 56 E 23 "
 Through the falling Timber.

East On Random bet Secs. 21 & 28

40.00 Set Temp. gr. Sec. post
 79.50 Intersected N & S line 10 lks South of post
 Land, Rich level, Beech, and Poplar

West Corner line bet. Secs. 21 & 28.

39.75 Set gr. Sec. post, from which
 a Beech 15 in. dia. bears S 17 W. 21 lks.
 a Do 10 " " " N 45 E. 21 "
 79.50 Section Corner

North Between Secs. 20 & 21.

25.50 a Poplar 72 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar tree 15 in. dia. bears west 6 lks.
 a Beech 10 " " " N 14 W. 20 "
 80.00 Set post Cor. Secs. 16, 17, 20 & 21, from which
 a Beech 30 in. dia. bears west 16 lks.
 a Do 10 " " " S 11 E. 18 "
 Level Beech, & Poplar Land

East On Random bet. Secs. 16 & 21.

40.00 Set Temp. gr. Sec. post

T. 14 N. R. 12 E. 2nd Men. Indiana.

79.80 Intersected N. & S line at post.
 Leub Beech, & Poplar Land

West Correct line bet. Secs. 16 & 21.

39.90 Set gr. Sec. post, from which
 a Beech 18 in. dia. bears S 52 E, 17 lks.
 a Beech 30 " " " N 20 E, 19 "

79.80 Section Corner Jan. 22nd 1811.

North Between Secs. 31 & 32.

6.27 a Beech 12 in. dia.

40.00 Set gr. Sec. post, from which
 a Beech 7 in. dia. bears N 12 W, 14 lks.
 a Do 24 " " " S 53 E, 15 "

80.00 Set post Cor. Secs. 29, 30, 31 & 32 fr. which
 a Beech 15 in dia. bears S 15 E, 28 lks.
 a Do 12 " " " N 20 E, 33 "
 Broken, Beech Land.

East On Mandom bet Secs. 29 & 32.

19.50 a Stream 50 lks. wide crs. S.E.

40.00 Set gr. Sec. post. ~~Temp.~~

80.00 Intersected N. & S line at post
 Broken, Beech Land, as above

West Correct line bet. Secs. 29 & 32.

40.00 Set gr. Sec. post, from which
 a Beech 12 in. dia bears S 43 W, 16 lks.
 a Do 10 " " " S 83 E, 16 "

80.00 Section Corner.

West Between Secs. 30 & 31.

36.70 To New Indian Boundary to a Stake
 a Beech 24 in. dia. bears N 42 W, 16 lks.
 an Elm 24 " " " S 23 E, 15 "
 Broken, Beech Land

T. 14 N. R. 12 E. 2nd Mer. Indiana.

130.

North Between Secs. 29 & 30

40.00 Set gr. Sec. post, from which
a Beech 8 in. dia. bears N 85 E, 16 lbs
a Do 8 " " " S 85 W, 17 "

50.00 a Stream 50 lbs. wide cor. E.

80.00 Set post Cor. Secs. 19 20, 29, 30. fr. whi.
a Beech 12 in. dia. bears N 85 E, 24 lbs
a Do 6 " " " S 28 W, 17 "

West On true line bet. Secs. 19 & 30.

21.00 To Indian Boundary by a Hickory 5 in.
dia. for a corner.
falling Timber. Jan'y. 23rd 1811.

East An Random bet. Secs. 20 & 29.

40.00 Set gr. Sec. post (Temp)

80.00 Intersected N. & S. line 15 lbs. South post
Over bad falling Timber Tornado
E For Lines omitted see end of Township

West Correct line bet. Secs. 20 & 17.

40.00 Set gr. Sec. post, from which
a Beech 15 in. dia. bears S 9 W, 14 lbs.
a Water Beech 6 " " N 79 E, 26 "

80.00 Section Corner

North Between Secs. 13 & 14.

35.00 a Poplar 60 in. dia.

40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears N 8 E, 25 lbs
a Do 10 " " " S 8 W, 5 "

80.00 Set post Cor. Secs. 11, 12, 13 & 14 fr. which
a Beech 10 in. dia. bears N 49 E, 7 lbs
a Do 18 " " " S 26 E, 20 "
Level Beech, & Poplar Land Soil Rich.

East An Random bet Secs. 12 & 13.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

40.00 Set Temp. gp. Sec. post
 80.00 To N. & S line 20 lks. N. of post
 Land Broken & Brushy at gp. last $\frac{1}{2}$.
 level Sugar tree Land Pickley ash Brush

West Correct line bet Secs. 12 & 13.

40.00 Set gp. Sec. post, from which
 a Beech 36 in. dia. bears East 27 lks.
 a Buckeye 8 " " " N 19 E, 11 "
 80.00 Section corner.

North Between Secs. 11 & 12

25.00 a Stream 20 lks. wide crs. N. E.

40.00 Set gp. Sec. post, from which
 a Beech 24 in. dia. bears S 74 W, 25 lks
 a Dogwood 4 " " " N 7 E, 17 "

80.00 Set post cor. to Secs. 1, 2. 11 & 12 fr. wh.
 a Beech 40 in. dia bears North 36 lks.
 a Hickory 15 " " " South 7 "
 Level, Rich Land Tim. Beech, Sugars
 Poplar &c.

East Between Secs. 1 & 12. (on Random)

40.00 Set Temp. gp. Sec. post

50.00 a Stream 20 lks wide crs. S. E.

80.20 Intersected N. & S line 50 lks North of cor
 Land as above

West Correct line bet. Secs. 1 & 12.

40.10 Set gp. Sec. post, from which
 a Beech 8 in. dia bears S 50 W, 21 lks.
 a Do 38 " " " S 43 E, 25 "

62.00 a Beech 12 in. dia,

80.20 Section corner.

North Between Secs. 1 & 2.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

- 110.00 Set gr. Sec. post, from which
 a Blue ash 18 in. dia bears N 93 E, 27 lbs.
 a Beech 24. " " " S 55 W, 40
 78.25 To North Town Boundary 1 ch. 60 lbs.
 West of Cor. by a Stake, from which
 a Beech 12 in. dia bears S 74 E, 17 lbs.
 a Do 12 " " " N 25, W 9 "
 Level Beech and Poplar Land

North Between Secs. 14 & 15. Jan 26. 1811.

- 40.00 Set gr. Sec. post, from which
 a Honey Locust 26 in. dia bears S 71 E, 29 lbs.
 a Buckeye 18 " " " S 71 W, 13 "
 80.00 Set post Cor. Secs. 10, 11, 14 & 15 fr. wh.
 a Beech 10 in. dia. bears S 52 W, 10 lbs
 a Do 12 " " " N 74 E 48 "
 Level, Rich Land Tim. Sugar, ash, Walnut.

East On Random bet. Secs. 11 & 14.

- 24.00 a Stream 25 lbs wide crs. S. E.
 40.00 Set Temp. gr. Sec. post
 46.00 a Stream 25 lbs. wide crs. North
 53.50 a Do 12 " " " "
 80.00 Intersected N. & S line at Corner

West Correct line bet. Secs. 11 & 14.

- 26.00 a Hickory 18 in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 10 in. dia bears N 66 E, 13 lbs.
 a Do 24 " " " N 88 W, 25 "
 80.00 Section Corner.

North Between Secs. 10 & 11.

- 10.50 a Poplar 60 in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 8 in. dia. bears N 20 W, 21 lbs.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

ch. 4th a Beech 10 in. dia. bears S 20 E, 8 lbs
 80.00 Set post Cor. Secs. 2, 3. 10 & 11.
 a Beech 10 in. dia. bears N 7 E, 17 lbs.
 a Poplar 60 " " " S 53 W, 25 "
 Level Beech, and Poplar Land.

East An Random bet. Secs. 2 & 11.
 05.00 a Stream 20 lbs wide cor. S. E.
 110.00 Set Temp. gr. Sec. post
 70.00 a Stream 20 lbs. wide cor. N. E.
 79.50 To N. & S. line at Corner.
 Level, Rich Land Tim. Beech, poplar
 Sugar &c.

West Correct line bet. Secs. 2 & 11.
 35.00 a Beech 10 in. dia.
 39.75 Set gr. Sec. post, from which
 a Beech 12 in. dia bears N 65 W, 31 lbs
 a Do 6 " " " S 50 E, 12 "
 79.50 Section Corner.

North Between Secs. 2 & 3.
 20.00 a Stream 20 lbs wide cor. S. E.
 110.00 Set gr. Sec. post, from which
 a Beech 24 in. dia. bears West 22 lbs.
 a Do 22 " " " North 69 "
 78.35 To North Town Boundary 2 chs. 50 lbs.
 West of the corner. a Stake from which
 a Beech 12 in. dia. bears South 13 lbs.
 a Do 18 " " " N 62 W, 20 "
 Level Land Beech & Poplar.

North Between Secs. 15 & 16.
 05.00 a Stream 15 lbs. wide cor. S. E.
 110.00 Set gr. Sec. post, from which
 a Beech 6 in. dia bears West 6 lbs.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

Ch. 4th an Ironwood 9 in. dia bears East 19 lbs
 20.00 a Blue ash 16 in. dia.
 80.00 Set post cor. to Secs. 9, 10, 15 & 16 fr. wh.
 a Beech 10 in. dia bears S 20 W, 30 lbs
 a Do 4 " " " West 10 "

East On Random bet. Secs. 10 & 15.
 40.00 Set Temp. gr. Sec. post
 80.00 Intersected N. & S. line at post
 Broken Beech & Oak Land.

West Between Secs. 10 & 15.
 40.00 Set gr. Sec. post, from which
 a Beech 12 in. dia bears S 74 E, 20 lbs
 a Do 10 " " " N 25 W, 14 "
 62.10 a Beech 12 in. dia.
 80.00 Section corner June 26th 1811.

North Between Secs. 9 & 10.
 10.60 a Beech 20 in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 12 in. dia. bears S 4 E, 13 lbs.
 a Do 8 " " " N 9 W, 12 "
 80.00 Set post cor. Secs. 3, 4, 9, 10, from which
 a Sugar 20 in. dia bears S 31 E, 26 lbs.
 a Do 6 " " " N 30 W, 12 "
 Broken Beech Land.

East On Random between Secs. 3 & 10
 40.00 Set gr. Sec. post Temp.
 80.00 Intersected N. & S. line at post
 Land same

West Correct line bet Secs. 3 & 10
 38.00 a Sugar 15 in. dia.
 40.00 Set gr. Sec. post, from which

T. 14 N. R. 12 E. 2nd Mer. Indiana.

Ch. 1st a Beech 8 in. dia bears S 85 E, 20 lbs.
 a do 8 " " " N 52 W, 10 "
 80.00 Section corner.

North Between Secs. 3 & 4.

26.25 a Beech 30 in. dia.

40.00 Set gr. Sec. post, from which
 a Beech 15 in. dia. bears S 7 E, 29 lbs.
 a Elm 12 " " " N 28 W, 31 "

78.00 To North Town Boundary 4 chs. 50 lbs.
 West of Stake by a Beech 10 in. dia
 for a post.

North Between Secs. 16 & 17.

10.00 a Black Walnut 48 in. dia.

40.00 a Beech 18 in. dia for gr. Sec. post

70.00 a stream 15 lbs. wide crs. S. E.

80.00 Set post Cor. Secs. 8, 9, 16 & 17
 a Sugar 15 in. dia bears N 19 W, 12 lbs.
 a Sugar 12 " " " S 49 E, 33 "
 Broken Beech Land

East Between Secs. 9 & 16. Random

40.00 Set Temp. gr. Sec. post.

79.90 To N. & S line at post
 Broken Beech Land

West Correct line bet. Secs. 9 & 16.

39.95 Set gr. Sec. post, from which
 a Beech 6 in. dia bears South 3 lbs.
 a do 4 " " " S 36 W 26 lbs.

56.00 a do 12 in. dia.

79.90 Section corner

North Between Secs. 17 & 18.

33.10 To Indian Boundary a Beech 12 in.

ch. 4th dia. for post
Broken Beech Land

West Between Secs. 8 & 17
40.00 a Beech 10 in. dia for post
71.00 To Indian Boundary a post fr. which
a Beech 6 in. dia bears N 20 W 36 lbs
a Do 10 " " " South 24. "
Broken Beech Land

North Between Secs. 8 & 9
40.00 Set gr. Sec. post from which
a Sugar 24 in. dia. bears S 34 E 42 lbs
a Do 15 " " " N 34 W 10 "
65.00 a Beech 10 in. dia.
80.00 Set post cor. Secs. 4, 5, 8 & 9. from wh.
a Sugar 12 in. dia bears S 73 W 18 lbs
a Do 6 " " " N 4 E 15 "

West Between Secs. 5 & 8.
40.00 Set gr. Sec. post from which
an Elm 24 in. dia bears West 37 lbs
a Beech 6 " " " South 19 "
65.60 To Indian Boundary a post from wh.
a Sugar 36 in. dia bears S 10 W 30 lbs
a Beech 20 " " " N 10 E 8 "
Leul Beech & Poplar Land

East On Random bet. Secs. 4 & 9.
40.00 Set gr. Sec. post. from which
79.90 To N. & S. line at post
Land leul Beech & poplar Rich

West Correct line bet Secs. 4 & 9.
89.95 Set gr. Sec. post from which
a Beech 12 in. dia. bears N 81 W 17 lbs

T. 14 N. R. 12 E. 2nd Mer. Indiana.

Ch. Sk. a Beech 30 in. dia. bears S 33 E, 16 lks
 46.24 a Do 10 " "
 79.90 Section Corner.

North Between Secs. 4 & 5.

4000 Set q. Sec. post, from which
 a Beech 30 in. dia bears N 36 W 23 lks
 a Do 30 " " " East 25 lks
 78.00 To North Town Boundary fell 4 chs.
 470 lks. West of post
 a Beech 40 in. dia bears South 13 lks.
 a Do 8 " " " N 36 W 19 lks.
 Level Beech, & Poplar Land Jan'y 28th 1844.

Note. In this Township in Sec. N^o 15.
 is a Sugar tree tall and straight 66 in. dia.
 Surveyed in January 1844.

By

Emanuel Vantres

Dep. Sur.

North Between Secs. 17 & 18.

Commenced on Boundary Line.

46.90 Corner to Secs. 7, 8, 17 & 18
 a Hickory 6 in. dia bears N 55 E, 18 lks. Lat.
 a B. Walnut 9 " " " S 55 E, 16 " "
 Land, level Timber Beech, ash, Sugar,
 B. Walnut, Hickory Undergrowth. Spice

East On Random bet Secs. 8 & 17.

6.09 Intersected E. Boundary at Corner.
 Land, level Rich Timber Beech, Hickory.

North Between Secs 7 & 8.

30.40 a Beech 3 feet diam.

40.00 Set q. Sec. post, from which

T. 14 N. R. 12 E. 2nd Mer. Indiana.

a Hickory 18 in. dia bears S 85° W, 23 lbs
 a Beech 8 " " " S 48° E 35 "
 65.00 a Blue ash 12 in. dia.
 80.00 Set post cor. Secs. 5, 6, 7 & 8 from which
 a W. Ash 24 in dia, bears E. 8 lbs. Det.
 a W. Walnut 18 " " " S 68° W, 50 "
 Land, level Rich, Timber B. Walnut, Beech,
 Elm, ash, Undergrowth. Spice.

East On Random bet. Secs. 5 & 8.
 19.67 Intersected East Boundary 70 lbs. North
 of post
 Land, good and level Timber Beech,
 Ash, Walnut, Undergrowth Spice

West Correct line bet. Secs. 5 & 8.
 19.67 Section Corner.

North Between Secs. 5 & 6.
 32.00 a Sugar tree 10 in. dia.
 40.00 Set gr. Sec. post, from which
 a Sugar 18 in. dia bears N 63° W, 37 lbs.
 a Poplar 72 " " " S 45° E, 24 "
 72.00 a Beech 24 in. dia.
 79.29 Intersected Town line at corner
 Land, Rich & level Timber ash, Walnut,
 Beech, Hickory, Undergrowth. Spice
 For W. line bet. Secs. 30 & 31 at end of Town.

East Between Secs. 30 & 31.
 41.10 Set gr. Sec. post from which
 a Sugar 18 in. dia. bears 20 mm lbs. Det.
 a Beech 9 " " " 10 mm " "
 45.50 Intersect E. Boundary at Sec. Cor.

West On Random bet. Secs. 19 & 30
 19.00 Set gr. Sec. post Temp.
 62.00 Intersected West Boundary 1 ch. 70 lbs.

T. 14 N. R. 12 E. 2nd Mer. Ind. a

	South of post Timber Beech, poplar, Sugar, Undygt. Spice
East	Correct line bet. Secs. 19 & 30.
41.50	Set gr. Sec. post from which a Sugar tree 24 in. dia bears S 33 W, 18
	a Beech 24 " " " N 66 E, 71 lbs
62.00	Section Corner
West	Between Secs. 18 & 19 on Random
33.80	Set Temp. gr. Sec. post
74.00	Intersected West Boundary 2 chs. & 25 lbs South of corner
East	Correct line bet. Secs. 18 & 19.
33.90	Set gr. Sec. post, from which a Beech 18 in. dia bears N 20 W, lbs
	a Sugar 18 " " " S W. 82 "
74.00	Intersected East Boundary at corner Land, level Rich Timber Ash, Beech, Sugar, Hickory.
West	On Random bet. Secs. 7 & 18.
410.00	Set Temp. gr. Sec. post
82.00	Intersected Town line 4 chs. 50 lbs. North of the post.
East	Correct line bet. Secs. 7 & 18.
44.00	Set gr. Sec. post, from which a Beech 24 in. dia bears N 45 W, 20 lbs,
	a Sugar 24 " " " S 5 E, 25 "
62.00	a Beech 12 in. dia.
82.00	Section Corner Land, level & Rich Timber Beech, ash, Sugar. Undygt. Spice

140.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

West On Random bet. Secs. 6 & 7.
 40.11 Set Temp. gr. Sec. post.
 83.11 Intersected Town line 3 chs. N. of corner
 Land, level, Rich Timber ash, Beech,
 Walnut, Poplar, Sugar Hickory Ing Spice

East Correct line bet. Secs. 6 & 7.
 41.50 Set gr. Sec. post, from which
 a Beech 18 in. dia. bears S 80 E, 20 lbs.
 a Cherry 10 " " " East 8
 Land, level 2nd rate Timber Beech, ash,
 Sugar, Hickory, Indgth. Spice. 1st half.
 62.00 An Ash 28 in. dia.
 83.00 Section Corner.
 Land, 2nd half 2nd rate level Timber
 Beech, ash, Walnut, Hickory, Indgth. Spice
 Surveyed in 18-

By A. Wallace, Deputy Surveyor.

omitted in proper places the following lines
 West Correct line betw. Sec. 20 & 29.
 40.00 Set gr. Sec. post, from which
 a Beech 10 in. dia. bears N 85 E, 9 lbs. dist. and
 a Do. 10 " " " S 85 W, 25 " "
 46.00 a Poplar 12 in. diam.
 80.00 Section corner.

North Between Sections 19 & 20.
 40.00 Set gr. Sec. post, from which
 a Beech 16 in. dia. bears North 24 lbs. dist. and
 a Do. 16 " " " N 43 E. 13 " "
 80.00 Set post Cor. to Sec. 17, 18, 19 & 20, for wh.
 an Elm 12 in. dia. for cor. tree.
 Over fallen timber.

West Between Sec. 18 & 19.
 6.20 To Indian Boundary & set post, from which

T. 14 N. R. 12 E. 2nd Mer. Ind^a

ch. L.P. a Beech 15 in. dia. bears N 4 E. 18 Ch. dist. and
a Sugar 10 " " " S 30 E. 17 " "
January 24th 1811.

January 25th 1811

East. An Run from between Sec. 17 & 20.

40.00 set temp. gr. Sec. post.

80.00 Intersect N & S line at the Post.

Land, Broken level & Rich. Timber,
Beech & Poplar.

Lines Run Between sec. 20 & 29, 19 & 29, 18 & 19
and 17 & 20. Surveyed in 1810.

By Emmanuel Vantres,

Deputy Surveyor.

West Between Sections 30 & 31. Nth line.

3.30 set temp. gr. Sec. post.

45.50 Intersect W. Boundary at post.

Land, level and rich. Beech Poplar
Ash Walnut &c. Undergrowth spice.

Surveyed in 1814.

By A. Wallace

Deputy Surveyor.

T. 14 N. R. 12 E. 2nd Mer. Indiana.

I Certify that the foregoing transcripts of field notes of Township No. 14 North in Range No. 12 East of the 2nd Principle Meridian, Indiana, has been compared with the original field notes in this Office and found to be correct.

Surveyor General's Office } Lucius Lyon,
Detroit.. Nov. 1. 1849 } Sur. Genl.